

**GOVERNMENT OF THE DISTRICT OF COLUMBIA**  
**Department of Health**



**Annual Human Papillomavirus (HPV) Vaccination Opt-Out Certificate**

**INSTRUCTIONS FOR COMPLETING THIS FORM**

**Section 1:** Enter student information

**Section 2:** Have parent/guardian or student (if 18 years of age or older) sign and date after reading the HPV Information Statement.

<b>Section 1: Student Information</b>			
Name of School			
Student Name:		Date of Birth:	Grade:
Street Address:	City:	Zip Code:	Phone:
Name and Address of Healthcare Provider:	City:	Zip Code:	Phone:

Beginning in 2009 and in accordance with D.C. Law 17-10 (Human Papillomavirus Vaccinations and Reporting Act of 2007) and the December 19, 2014 Notice of Rulemaking to expand Title 22 of the DC Municipal Regulations, the parent or legal guardian of a student enrolling in grades 6 through 12 for the first time at a school in the District of Columbia is required to submit certification that the student has:

1. Received the Human Papillomavirus (HPV) vaccine; or
2. Not received the HPV vaccine this school year because:
  - a. The parent or guardian has objected in good faith and in writing to the chief official of the school that the vaccination would violate his or her religious beliefs;
  - b. The student's physician, his or her representative or the public health authorities has provided the school with written certification that the vaccination is medically inadvisable; or
  - c. The parent or legal guardian, in his or her discretion, has elected to opt out of the HPV vaccination program by signing a declaration that the parent or legal guardian has been informed of the HPV vaccination requirement and has elected not to participate.

**Section 2: Signatures**

**Annual Opt-Out for Human Papillomavirus (HPV) Vaccine**

I have received and reviewed the information provided on HPV and the benefits of the HPV vaccine in preventing cervical cancer and genital warts if it is given to preteen girls and boys. After being informed of the risk of contracting HPV and the link between HPV and cervical cancer, other cancers and genital warts, I have decided to opt-out of the HPV requirement for the above named student. I know that I may readdress this issue at any time and complete the required vaccinations.

\_\_\_\_\_  
Signature of Parent/Guardian or Student if >18 years

\_\_\_\_\_  
Date

\_\_\_\_\_  
Print Name of Parent/Guardian or Student if >18 years

## **HUMAN PAPILLOMAVIRUS INFORMATION**

Genital human papillomavirus (HPV) is the most common sexually transmitted virus in the United States. There are about 100 types of HPV. Most infections don't cause any symptoms and go away on their own. HPV is important mainly because it can cause cervical cancer in women and several less common types of cancer in both men and women. It can also cause genital warts and warts of the upper respiratory tract. There is no cure for HPV, but the problems it causes can be treated.

About 20 million people in the U.S. are infected, and about 6 million more get infected each year. HPV is usually spread through sexual contact. More than 50% of sexually active men and women are infected with HPV at some time in their lives. Every year in the U.S., about 12,000 women get cervical cancer and 4,000 die from it with rates of cervical cancer in DC being higher than national averages.

HPV vaccine is an inactivated vaccine (not live) which protects against four major types of HPV. These include two types that cause about 70% of cervical cancer and 2 types that cause about 90% of genital warts. HPV vaccine can prevent most genital warts and most cases of cervical cancer.

Protection is expected to be long-lasting. But vaccinated women still need cervical cancer screening because the vaccine does not protect against all HPV types that cause cervical cancer.

HPV vaccine is routinely recommended for girls and boys 11-12 years of age, but may be given as early as age 9 years. It is important for girls and boys to get HPV vaccine before their first sexual contact-because they have not been exposed to HPV. The vaccine protects against some – but not all – types of HPV. However, if female or male is already infected with a type of HPV, the vaccine will not prevent disease from that type. It is still recommended that females and males with HPV get vaccinated. In addition, the HPV vaccine can prevent vaginal and vulvar cancer in females, and genital warts and anal cancer in both males and females.

The vaccine is also recommended for females 13-26 years of age and males 13-21 years of age (or to age 26 in some cases) who did not receive it when they were younger. It may be given with any other vaccines needed.

### **HPV vaccine is given as a three-dose series:**

- **1<sup>st</sup> Dose: Now**
- **2<sup>nd</sup> Dose: two months after Dose 1**
- **3<sup>rd</sup> Dose: six months after Dose 1**

People who have had a life-threatening allergic reaction to yeast, are pregnant, moderate to severe illness should not receive the vaccine. Side effects are mostly mild, including itching, pain, redness at the injection site and a mild to moderate fever.

---

**If additional information is needed, please contact your healthcare provider, the D.C. Department of Health Immunization Program at (202) 576-7130 or the Centers for Disease Control and Prevention (CDC) at 1-800-CDC-INFO (1-800-232-4636).**